



Bid No. 25-26

2025 Alley and Sidewalk Improvements

ADDENDUM No. 2

May 21, 2025

Any and all changes to the Bid are valid only if they are included by written addendum to all potential respondents, which will be emailed prior to the Bid due date to all who are known to have received a complete Bid Document. Each respondent must acknowledge receipt of any addenda by indicating in its Bid. Each respondent, by acknowledging receipt of addenda, is responsible for the contents of the addenda and any changes to the bid therein. Failure to acknowledge receipt of addenda may cause the Bid to be rejected. If any language or figures contained in this addendum are in conflict with the original Bid Document, this addendum shall prevail.

This addendum consists of the following:

1. Addendum No. 2 is attached and consists of a total of twenty (20) pages, including this cover sheet.

Please feel free to call 847-866-2971 or email cstuart@cityofevanston.org with any questions or comments.

Sincerely,

Cheryl Stuart
Purchasing Specialist



Bid No. 25-26

2025 Alley and Sidewalk Improvements

ADDENDUM No. 2

May 21, 2025

This addendum forms a part of the Specifications and Bid Documents for Bid #25-26 and modifies these documents. This addendum consists of the following revisions:

QUESTIONS

1. **QUESTION:** Could a revised Exhibit A please be provided that has the updated quantity and correct sequence for pages 9-10?

RESPONSE: Yes, please see - Pages 3-20 for the revised Exhibit A – Bid Form.

2. **QUESTION:** The booklet for the above job is about 180 pages. Do you want all of it sent in with the bid? If not, what can be omitted from the bid package?

RESPONSE: All Exhibits must be returned with the Bid.

Note: Acknowledgment of this Addendum is required in the Submittal.

EXHIBIT A – BID FORM
For
2025 Alley and Sidewalk Improvements
(BID #25-26)

1.01 BID TO:

THE CITY OF EVANSTON
909 Davis Street
Evanston, Illinois 60201

Hereinafter called "OWNER".

1.02 BID FROM:

(Hereinafter call "BIDDER")

Address

Telephone Number

Fax Number

1.03 BID FOR: **2025 Alley and Sidewalk Improvements**

1.04 ACKNOWLEDGEMENT:

A. The Bidder, in compliance with the Invitation for Bids, having carefully examined the Drawings and Project Manual with related documents and having visited the site of the proposed Work, and being familiar with all of the existing conditions and limitations surrounding the construction of the proposed project, including the structure of the ground, subsurface conditions, the obstacles which may be encountered, local restrictions, and all other relevant matters concerning the Work to be performed, hereby PROPOSES to perform everything required to be performed, and to provide all labor, materials, necessary tools and equipment, expendable equipment, all applicable permits and taxes and fees, and provide all utility and transportation services necessary to perform and complete in a workmanlike

manner the Project in accordance with all the plans, specifications and related Contract Documents as prepared by the City of Evanston.

- B. The undersigned hereby acknowledges receipt of Invitation of Bids, Instruction to Bidder, the Project Manual, Drawings, and other Contract Documents and acknowledges receipt of the following Addenda:

Addendum No. _____ Dated _____

Addendum No. _____ Dated _____

Addendum No. _____ Dated _____

1.05 GENERAL STATEMENTS

- A. The undersigned has checked all of the figures contained in this proposal and further understands that the Owner will not be responsible for any errors or omissions made therein by the undersigned.
- B. It is understood that the right is reserved by the Owner to reject any or all proposals, to waive all informality in connection therewith and to award a Contract for any part of the work or the Project as a whole.
- C. The undersigned declares that the person(s) signing this proposal is/are fully authorized to sign on behalf of the named firm and to fully bind the named firm to all the conditions and provisions thereof.
- D. It is agreed that no person(s) or company other than the firm listed below or as otherwise indicated hereinafter has any interest whatsoever in this proposal or the Contract that may be entered into as a result thereof, and that in all respects the proposal is legal and fair, submitted in good faith, without collusion or fraud.
- E. It is agreed that the undersigned has complied and/or will comply with all requirements concerning licensing and with all other local, state and national laws, and that no legal requirement has been or will be violated in making or accepting this proposal, in awarding the Contract to him, and/or in the prosecution of the Work required hereunder.
- F. To be considered a bona fide offer, this proposal must be completed in full and accompanied by a bid deposit or a bid bond when required by Contract Documents or Addenda.

1.06 ALTERNATES

- A. When alternate proposals are required by Contract Documents or Addenda thereto, the undersigned proposes to perform alternates for herein stated additions to or deductions from hereinbefore stated Base Bid. Additions and deductions include all modifications of Work or additional Work that the undersigned may be required to perform by reason of the acceptance of alternates.

1.07 ALLOWANCE

A. N/A

1.08 AGREEMENT

- A. In submitting this Bid, the undersigned agrees:
1. To hold this Bid open for sixty (60) days from submittal date.
 2. To enter into and execute a Contract with the Owner within ten (10) days after receiving Notice of Award from the Owner.
 3. To accomplish the work in accordance with the Contract Documents.
 4. To complete the work by the time stipulated in the General Conditions
- B. The Owner reserves the right to reject any and all Bids and to waive any informalities in Bidding.

1.09 SCHEDULE

A. See General Conditions for required schedule of completion dates.

1.10 PROPOSED PRICES

A. The Bidder hereby proposes to furnish all labor, materials, equipment, transportation, construction plant and facilities necessary to complete, in a workmanlike manner and in accordance with the contract documents, the contract of work bid upon herein for compensation in accordance with the following prices:

TOTAL BID AMOUNT: \$ _____

1.11 UNIT PRICING LIST

The undersigned submits the following UNIT PRICING LIST to be performed as shown on the Plans and/or described in the Specifications, and agrees that items of work not specifically mentioned in the Schedule which are necessary and required to complete the work intended shall be done incidental to and as part of the work for which a unit price is given, and understands that no additional payment will be made for such incidental work from the estimated quantities shown below. Unit prices for individual line items shall be used for the project's schedule of values, pay applications and will also be used to determine the amount to ADD TO or DEDUCT FROM the contract LUMP SUM PRICE for properly authorized additional or deducted work. In the event of a change to the contract the contractor shall be limited to markup percentages as indicated in Section 01028, 1.05, A. Bidders shall examine plans and determine actual work items and quantities for the work involved for bid analysis by the Owner.

SCHEDULE OF PRICES

(For complete information covering these items, see Plans and Contract Specifications)

PROJECT	TOTAL COST
Alley North of Payne Street, East of Crawford Avenue	\$
Alley North of Grant Street, East of Hartrey Avenue	\$
Alley North of Lincoln Street, East of Hartrey Avenue	\$
Colfax Street Sewer Extension	\$
Pedestrian Crossings	\$
Sidewalk Gap Infills	\$
Downtown Sidewalk Improvements	\$
Greenwood Park Picnic Pads	\$
Traffic Calming Speed Humps and Alley Bumps	\$
Transit Stops	\$
BIDDER'S PROPOSAL FOR TOTAL BASE BID SCOPE:	\$

ALLEY NORTH OF PAYNE STREET, EAST OF CRAWFORD AVENUE

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	EARTH EXCAVATION	CU. YD.	204		
2	TRENCH BACKFILL	CU. YD.	117		
3	SUB-BASE GRANULAR MATERIAL, TYPE B	CU. YD.	10		
4	AGGREGATE BASE COURSE, TYPE B, 4"	SQ. YD.	712		
5	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	5		
6	PORTLAND CEMENT CONCRETE PAVEMENT, 8"	SQ. YD.	687		
7	STORM SEWERS, SPECIAL, 8" (D.I.P. / CL 50)	FOOT	386		
8	STORM SEWERS, SPECIAL, 10" (D.I.P. / CL 50)	FOOT	12		
9	INLETS, TYPE A, TYPE 1 FRAME, OPEN LID	EACH	2		
10	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		

11	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
12	COMBINATION CONCRETE CURB AND GUTTER, TYPE B 6.12	FOOT	100		
13	CONCRETE CURB, TYPE B	FOOT	50		
14	PAVEMENT REMOVAL	SQ. YD.	38		
15	DRIVEWAY PAVEMENT REMOVAL	SQ. YD.	94		
16	COMBINATION CURB AND GUTTER REMOVAL	FOOT	100		
17	SIDEWALK REMOVAL	SQ. FT.	73		
18	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT - 6"	SQ. YD.	107		
19	PORTLAND CEMENT CONCRETE SIDEWALK - 5"	SQ. FT.	73		
20	PROTECTIVE SEALER	SQ. YD.	794		
21	CRUSHED STONE, CA-16	TON	20		
22	FURNISHING AND PLACING TOPSOIL, 3"	SQ. YD.	105		
23	SODDING, SALT TOLERANT	SQ. YD.	105		
24	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT DIA.	12		
25	HOT-MIX ASPHALT SURFACE REMOVAL	SQ. YD.	18		
26	TEMPORARY FENCE	FOOT	150		
27	CONSTRUCTION LAYOUT AND STAKING	LUMP SUM	1		
28	STREET SWEEPING	EACH	3		
29	CLOSED CIRCUIT TV INSPECTION	LUMP SUM	1		
30	PRE-CONSTRUCTION SURFACE VIDEO TAPING	LUMP SUM	1		
31	REMOVING AND RESETTING PAVERS	SQ. FT.	159		
32	EPOXY PAVEMENT MARKING LINE - 6" YELLOW	FOOT	80		
ALLEY NORTH OF PAYNE STREET, EAST OF CRAWFORD AVENUE TOTAL:					

ALLEY NORTH OF GRANT STREET, EAST OF HARTREY AVENUE

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	EARTH EXCAVATION	CU. YD.	432		
2	TRENCH BACKFILL	CU. YD.	420		
3	SUB-BASE GRANULAR MATERIAL, TYPE B	CU. YD.	15		

4	GRANULAR CRADLE MATERIAL, CA-11	TON	110		
5	AGGREGATE BASE COURSE, TYPE B, 4"	SQ. YD.	1,120		
6	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	10		
7	PORTLAND CEMENT CONCRETE PAVEMENT, 8"	SQ. YD.	1,102		
8	STORM SEWERS, SPECIAL, 8" (D.I.P. / CL 50)	FOOT	142		
9	STORM SEWERS, 12", TYPE 2 (R.C.P. / CL III)	FOOT	420		
10	INLETS, TYPE A, TYPE 1 FRAME, OPEN LID	EACH	1		
11	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
12	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	2		
13	COMBINATION CONCRETE CURB AND GUTTER, TYPE B 6.12	FOOT	200		
14	CONCRETE CURB, TYPE B	FOOT	100		
15	PAVEMENT REMOVAL	SQ. YD.	104		
16	DRIVEWAY PAVEMENT REMOVAL	SQ. YD.	225		
17	COMBINATION CURB AND GUTTER REMOVAL	FOOT	200		
18	CURB REMOVAL	FOOT	100		
19	SIDEWALK REMOVAL	SQ. FT.	310		
20	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT - 6"	SQ. YD.	335		
21	PORTLAND CEMENT CONCRETE SIDEWALK - 5"	SQ. FT.	310		
22	PROTECTIVE SEALER	SQ. YD.	1,437		
23	CRUSHED STONE, CA-16	TON	30		
24	FURNISHING AND PLACING TOPSOIL, 3"	SQ. YD.	140		
25	SODDING, SALT TOLERANT	SQ. YD.	140		
26	DETECTABLE WARNINGS	SQ. FT.	80		
27	TREE REMOVAL (6 TO 15 INCH DIA.)	UNIT DIA.	5		
28	HOT-MIX ASPHALT SURFACE REMOVAL	SQ. YD.	30		
29	TEMPORARY FENCE	FOOT	150		
30	CONSTRUCTION LAYOUT AND STAKING	LUMP SUM	1		
31	STREET SWEEPING	EACH	3		
32	CLOSED CIRCUIT TV INSPECTION	LUMP SUM	1		

33	PRE-CONSTRUCTION SURFACE VIDEO TAPING	LUMP SUM	1		
34	REMOVING AND RESETTING PAVERS	SQ. FT.	20		
35	EPOXY PAVEMENT MARKING LINE - 6" YELLOW	FOOT	90		
ALLEY NORTH OF GRANT STREET, EAST OF HARTREY AVENUE TOTAL:					

ALLEY NORTH OF LINCOLN STREET, EAST OF HARTREY AVENUE

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	EARTH EXCAVATION	CU. YD.	212		
2	TRENCH BACKFILL	CU. YD.	792		
3	SUB-BASE GRANULAR MATERIAL, TYPE B	CU. YD.	15		
4	GRANULAR CRADLE MATERIAL, CA-11	TON	177		
5	AGGREGATE BASE COURSE, TYPE B, 4"	SQ. YD.	1,154		
6	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	10		
7	PORTLAND CEMENT CONCRETE PAVEMENT, 8"	SQ. YD.	1,134		
8	STORM SEWER REMOVAL 8"	FOOT	635		
9	REMOVING MANHOLES	EACH	2		
10	REMOVING CATCH BASINS	EACH	2		
11	STORM SEWERS, SPECIAL, 8" (D.I.P. / CL 50)	FOOT	338		
12	STORM SEWERS, 12", TYPE 2 (R.C.P. / CL III)	FOOT	394		
13	STORM SEWERS, 15", TYPE 2 (R.C.P. / CL III)	FOOT	238		
14	INLETS, TYPE A, TYPE 1 FRAME, OPEN LID	EACH	1		
15	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
16	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	4		
17	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	1		
18	COMBINATION CONCRETE CURB AND GUTTER, TYPE B 6.12	FOOT	100		
19	CONCRETE CURB, TYPE B	FOOT	20		
20	PAVEMENT REMOVAL	SQ. YD.	1,314		
21	DRIVEWAY PAVEMENT REMOVAL	SQ. YD.	767		
22	COMBINATION CURB AND GUTTER REMOVAL	FOOT	100		

23	SIDEWALK REMOVAL	SQ. FT.	440		
24	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT - 6"	SQ. YD.	818		
25	PORTLAND CEMENT CONCRETE SIDEWALK - 5"	SQ. FT.	440		
26	PROTECTIVE SEALER	SQ. YD.	1,952		
27	CRUSHED STONE, CA-16	TON	30		
28	FURNISHING AND PLACING TOPSOIL, 3"	SQ. YD.	120		
29	SODDING, SALT TOLERANT	SQ. YD.	120		
30	DETECTABLE WARNINGS	SQ. FT.	20		
31	HOT-MIX ASPHALT SURFACE REMOVAL	SQ. YD.	15		
32	TEMPORARY FENCE	FOOT	120		
33	CONSTRUCTION LAYOUT AND STAKING	LUMP SUM	1		
34	STREET SWEEPING	EACH	3		
35	CLOSED CIRCUIT TV INSPECTION	LUMP SUM	1		
36	PRE-CONSTRUCTION SURFACE VIDEO TAPING	LUMP SUM	1		
37	REMOVING AND RESETING PAVERS	SQ. FT.	140		
38	CLASS B PATCHES, SPECIAL 9" (HES)	SQ. YD.	15		
39	EPOXY PAVEMENT MARKING LINE - 6" YELLOW	FOOT	60		
ALLEY NORTH OF LINCOLN STREET, EAST OF HARTREY AVENUE TOTAL:					

COLFAX STREET SEWER EXTENSION

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	TRENCH BACKFILL	CU. YD.	446		
2	GRANULAR CRADLE MATERIAL, CA-11	TON	90		
3	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	38		
4	STORM SEWERS, 12", TYPE 2 (R.C.P. / CL III)	FOOT	358		
5	STORM SEWERS, SPECIAL, 8" (D.I.P. / CL 50)	FOOT	48		
6	REMOVE STORM SEWER 8"	FOOT	45		
7	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	2		
8	CLASS B PATCHES, SPECIAL 9" (HES)	SQ. YD.	328		

9	ADJUSTING SANITARY SEWER SERVICE LINE	EACH	6		
10	CONSTRUCTION LAYOUT AND STAKING	LUMP SUM	1		
11	STREET SWEEPING	EACH	2		
12	PRE AND POST CONSTRUCTION SUB-SURFACE VIDEOTAPING	LUMP SUM	1		
13	CLOSED CIRCUIT TV INSPECTION	LUMP SUM	1		
COLFAX STREET SEWER EXTENSION TOTAL:					

PEDESTRIAN CROSSINGS

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	EARTH EXCAVATION	CU. YD.	5		
2	TOPSOIL FURNISH AND PLACE 3"	SQ. YD.	100		
3	SODDING SALT TOLERANT	SQ. YD.	100		
4	AGGREGATE BASE COURSE, TYPE B 4"	SQ. YD.	230		
5	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	10		
6	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ. FT.	550		
7	DETECTABLE WARNINGS	SQ. FT.	100		
8	PAVEMENT REMOVAL	SQ. YD.	185		
9	COMBINATION CURB AND GUTTER REMOVAL	FOOT	40		
10	SIDEWALK REMOVAL	SQ. FT.	395		
11	CLASS B PATCHES, SPECIAL 9" HES	SQ. YD.	15		
12	FRAMES AND GRATES TO BE ADJUSTED	EACH	1		
13	CONCRETE CURB, TYPE B	FOOT	355		
14	COMB. CONC. CURB & GUTTER, TYPE B6.12	FOOT	180		
15	CONCRETE MEDIAN SURFACE 4"	SQ. FT.	1,005		
16	CONSTRUCTION LAYOUT	LSUM	1		
17	STREET SWEEPING	EACH	4		
18	SOLAR-POWERED ASSEMBLY (COMPLETE)	EACH	4		
19	RELOCATE SIGN ASSEMBLY - TYPE A	EACH	1		
20	REMOVE AND RETURN SIGN PANEL ASSEMBLY	EACH	2		

21	TUBULAR FLEXIBLE DELINEATOR	EACH	8		
22	THERMOPLASTIC PAVEMENT MARKING LINE - 12"	FOOT	370		
23	THERMOPLASTIC PAVEMENT MARKING LINE - 8"	FOOT	200		
24	THERMOPLASTIC PAVEMENT MARKING LINE - 6"	FOOT	150		
25	THERMOPLASTIC PAVEMENT MARKING LINE - 4"	FOOT	265		
26	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ. FT.	300		
PEDESTRIAN CROSSINGS TOTAL:					

SIDEWALK GAP INFILLS

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	TREE REMOVAL (LESS THAN 15 INCH DIA)	UNIT DIA.	60		
2	TEMPORARY FENCE	FOOT	950		
3	TREE ROOT PRUNING	FOOT	200		
4	EARTH EXCAVATION	CU. YD.	150		
5	TOPSOIL FURNISH AND PLACE, 3"	SQ. YD.	300		
6	SODDING, SALT TOLERANT	SQ. YD.	300		
7	TREE, AESCULUS FLAVA (BUCKEYE), 2" CALIPER, BALLED AND BURLAPPED	EACH	1		
8	AGGREGATE BASE COURSE, TYPE B 4"	SQ. YD.	1,046		
9	CRUSHED STONE, CA-16	TON	5		
10	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	9		
11	PCC DRIVEWAY PAVEMENT, 6 INCH	SQ. YD.	78		
12	PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH	SQ. FT.	9,156		
13	DETECTABLE WARNINGS	SQ. FT.	235		
14	DRIVEWAY PAVEMENT REMOVAL	SQ. YD.	118		
15	HOT-MIX ASPHALT SURFACE REMOVAL	SQ. YD.	42		
16	COMBINATION CURB AND GUTTER REMOVAL	FOOT	581		
17	CURB REMOVAL	FOOT	25		
18	SIDEWALK REMOVAL	SQ. FT.	4,200		
19	COMB. CONC. CURB & GUTTER, TYPE B-6.12	FOOT	581		

20	CONCRETE CURB, TYPE B	FOOT	55		
21	NON-SPECIAL WASTE DISPOSAL	CU. YD.	150		
22	SOIL DISPOSAL ANALYSIS	EACH	3		
23	CONSTRUCTION LAYOUT	LUMP SUM	1		
24	STREET SWEEPING	EACH	3		
25	FENCE REMOVAL	FOOT	150		
26	THERMOPLASTIC PAVEMENT MARKING LINE - 6"	FOOT	190		
27	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ. FT.	63		
SIDEWALK GAP INFILLS TOTAL:					

DOWNTOWN SIDEWALK IMPROVEMENTS

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	TREE REMOVAL (LESS THAN 15 INCH DIA)	UNIT DIA.	90		
2	TREE TRUNK PROTECTION	EACH	41		
3	TREE ROOT PRUNING	FOOT	100		
4	TOPSOIL FURNISH AND PLACE, 3"	SQ. YD.	109		
5	SODDING, SALT TOLERANT	SQ. YD.	109		
6	TREE, PRUNUS SARGENTII (SARGENT CHERRY), 2" CALIPER, BALLED AND BURLAPPED	EACH	6		
7	TREE, GYMNOCLADUS DIOCUS (KENTUCKY COFFEE), 2" CALIPER, BALLED AND BURLAPPED	EACH	1		
8	TREE, CELTIS OCCIDENTALIS (HACKBERRY), 2" CALIPER, BALLED AND BURLAPPED	EACH	2		
9	AGGREGATE BASE COURSE, TYPE B 4"	SQ. YD.	2,538		
10	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	2		
11	PCC DRIVEWAY PAVEMENT, 8 INCH	SQ. YD.	1,485		
12	PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH	SQ. FT.	17,548		
13	DETECTABLE WARNINGS	SQ. FT.	290		
14	DRIVEWAY PAVEMENT REMOVAL	SQ. YD.	1,485		
15	FRAMES AND GRATES TO BE ADJUSTED	EACH	16		
16	COMBINATION CURB AND GUTTER REMOVAL	FOOT	29		
17	COMB. CONC. CURB & GUTTER, TYPE B-6.12	FOOT	71		

18	CONCRETE CURB, TYPE B	FOOT	12		
19	CONSTRUCTION LAYOUT	LUMP SUM	1		
20	STREET SWEEPING	EACH	2		
21	BRICK PAVER BANDING	SQ. FT.	3,412		
22	TREE GRATES AND FRAMES	EACH	18		
23	REMOVE EXISTING BRICK PAVERS	SQ. FT.	22,507		
24	SUPPLEMENTAL WATERING	UNIT	10		
DOWNTOWN SIDEWALK IMPROVEMENTS TOTAL:					

GREENWOOD PARK PICNIC PAD

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	TEMPORARY FENCE	FOOT	500		
2	TREE ROOT PRUNING	FOOT	100		
3	EARTH EXCAVATION	CU. YD.	34		
4	TOPSOIL FURNISH AND PLACE, 3"	SQ. YD.	200		
5	SEEDING, CLASS 2A	SQ. YD.	56		
6	SODDING, SALT TOLERANT	SQ. YD.	200		
7	AGGREGATE BASE COURSE, TYPE B 4"	SQ. YD.	167		
8	CRUSHED STONE, CA-16	TON	5		
9	PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH	SQ. FT.	1,020		
10	PORTLAND CEMENT CONCRETE SIDEWALK, 6 INCH	SQ. FT.	479		
11	DETECTABLE WARNINGS	SQ. FT.	10		
12	SIDEWALK REMOVAL	SQ. FT.	936		
13	NON-SPECIAL WASTE DISPOSAL	CU. YD.	34		
14	SOIL DISPOSAL ANALYSIS	EACH	1		
15	CONSTRUCTION LAYOUT	LUMP SUM	1		
16	STREET SWEEPING	EACH	1		
17	THERMOPLASTIC PAVEMENT MARKING LINE - 4"	FOOT	131		
18	PAVEMENT MARKING REMOVAL - WATER BLASTING	SQ. FT.	28		

19	METAL POST - TYPE B	FOOT	16		
20	SIGN PANEL - TYPE 2	SQ. FT.	4		
21	ADA PICNIC TABLE	EACH	1		
22	ADA CHARCOAL GRILL	EACH	1		
23	OUTDOOR TRASH BIN	EACH	1		
24	OUTDOOR RECYCLING BIN	EACH	1		
GREENWOOD PARK PICNIC PAD TOTAL:					

TRAFFIC CALMING SPEED HUMPS AND ALLEY BUMPS

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	SPEED HUMPS (VARIOUS STREETS)	FOOT	400		
2	SPEED BUMPS (VARIOUS ALLEYS)	FOOT	80		
3	SPEED HUMPS AND BUMPS REMOVAL AND REPLACEMENT (ASPHALT)	FOOT	250		
TRAFFIC CALMING SPEED HUMPS AND ALLEY BUMPS TOTAL:					

TRANSIT STOPS

Item No.	Item	Unit	Quantity	Unit Price	Cost
1	TREE ROOT PRUNING	FOOT	100		
2	EARTH EXCAVATION	CU. YD.	60		
3	TOPSOIL FURNISH AND PLACE, 4"	SQ. YD.	170		
4	SODDING, SALT TOLERANT	SQ. YD.	170		
5	AGGREGATE BASE COURSE, TYPE A 4"	SQ. YD.	383		
6	PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH	SQ. FT.	3,500		
7	SIDEWALK REMOVAL	SQ. FT.	1,500		
8	SIGN PANEL - TYPE 1	SQ. FT.	40		
9	RELOCATE SIGN ASSEMBLY - TYPE A	EACH	6		
10	RELOCATE SIGN ASSEMBLY - TYPE B	EACH	3		
11	RELOCATE SIGN PANEL - TYPE 1	SQ. FT.	4		
12	METAL POST - TYPE A	FOOT	200		

13	CONSTRUCTION LAYOUT	LUMP SUM	1		
TRANSIT STOPS TOTAL:					

1.12 BID SECURITY

If required by the bid documents, a scanned copy of the bid bond must be included with the bid electronic submission. The City is currently not able to accept a certified check, bank cashier's check or electronic bid bond at this time.

- A. The City of Evanston is unable to receive in person drop-off and it is closed to the public. The original bid bond must be mailed within ten (10) days after the due date, to the City of Evanston Purchasing Department, 909 Davis Street, Evanston, Illinois 60201 Attention Purchasing Manager using the USPS (certified or priority), UPS or FedEx mail options in order to have a tracking number.
- B. Accompanying this electronic submittal is a scanned copy of a bank draft, bid bond, Cashier's check or Certified check as surety in the amount of not less than five percent (5%) of the Total Bid payable to the City of Evanston.

The amount of the check or draft is: \$ _____

If this bid is accepted and the undersigned shall fail to execute a contract and contract bond as required it is hereby agreed that the amount of the check or draft or bidder's bond substituted in lieu thereof, shall become the property of the City and shall be considered as payment of damages due to delay and other causes suffered by the City because of the failure to execute said contract and contract bond; otherwise said check or draft shall be returned to the undersigned.

In the event that one check or draft is intended to cover two or more bids, the amount must be equal to the sum of the project proposal guarantees of the individual sections covered.

If the check or draft is placed on another project proposal, state below where it may be found, as follows: The check or draft will be found in the project proposal for: _____.

1.13 PERFORMANCE/PAYMENT BOND

The undersigned bidder agrees to provide Performance Bond and Payment Bond executed in accordance with Contract Performance Bond form furnished by and acceptable to the Owner written with _____

in the amount of 100% of the Contract Sum (Total Base Bid and all accepted alternatives and adjustments) the cost of which is included in the Bid.

Cost of bond for change order is _____ percent of change order cost.

1.14 LIQUIDATED DAMAGES

The undersigned Bidder understands and agrees to the provisions stated under "LIQUIDATED DAMAGES" in the General Conditions and shall be assessed at the specified daily rate for each calendar day or partial calendar day until completion as defined herein.

1.15 MATERIAL SUBSTITUTION SHEET

The following is a schedule of substitute materials I propose to furnish on this job, with the difference in price being added to or deducted from the Base Bid. The Base Bid is understood to include only those items which are definitely specified by trade names or otherwise.

I understand that if no price difference is indicated, then the selection of materials is optional with the Owner, and approval or rejection of the substitution below will be indicated prior to signing of Contracts.

<u>PRODUCT NAME AND/OR MANUFACTURER</u>	<u>ADD</u>	<u>DEDUCT</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

1.16 PROPOSAL SIGNATURE (REQUIRED)

A. SOLE PROPRIETOR

Signature of Bidder: _____

SUBSCRIBED AND SWORN to before me this _____ day of _____, 20__

Notary Public

Commission Expires: _____

B. PARTNERSHIP

Signature of All Partners: _____

Name (typed or printed)

Name (typed or printed)

SUBSCRIBED AND SWORN to before me this ____ day of _____, 20__

_____ Commission Expires: _____

Notary Public

C. CORPORATION

Signature of Authorized Official: _____

Title: _____

Name above (typed or printed): _____

(If other than the president, attach a certified copy of that section of corporate by-laws or other authorization by the Corporation which permits the person to execute the offer for the Corporation.)

(Corporate Seal)

Attest: _____
Secretary

SUBSCRIBED AND SWORN to before me this ____ day of _____, 20__

_____ Commission Expires: _____

Notary Public

1.17 DISCLOSURE

- A. The undersigned duly sworn deposes and says on oath that the bidder has withheld no disclosures of ownership interest and the information provided herein to the best of its knowledge is current and said undersigned has not entered into any agreement with any other bidder or prospective bidder or with any other person, firm or corporation relating to the price named in said proposal or any other proposal, nor any agreement or arrangement under which any person, firm or corporation is to refrain from bidding, nor any agreement or arrangement for any act or omission in restraint of free competition among bidders and has not disclosed to any person, firm or corporation the terms of this bid or the price named herein.

Bidder: _____

Business Address: _____

Telephone Number: _____

1.18 CONTACTS

- A. In the event the Evanston City Council approves this bid response, list the name, address, telephone, and fax number of the person to be contacted:

Bidder: _____

Address: _____

Telephone Number: _____

Fax Number: _____

1.19 REFERENCES

A. Provide three (3) references for which your firm has completed work of a similar scope in the past.

1. Name: _____

Address: _____

Contact Person: _____

Phone: _____

Contract Value: _____

Contract Dates: _____

2. Name: _____

Address: _____

Contact Person: _____

Phone: _____

Contract Value: _____

Contract Dates: _____

3. Name: _____

Address: _____

Contact Person: _____

Phone: _____

Contract Value: _____

Contract Dates: _____