



## **UTILITIES COMMISSION**

Friday, May 9, 2014, 7:15 A.M.

Evanston Water Treatment Plant, 555 Lincoln St., Large Conference Room

### **AGENDA**

- 1. CALL TO ORDER / DECLARATION OF QUORUM**
- 2. APPROVAL OF MEETING MINUTES OF APRIL 11, 2014**
- 3. COMMITTEE REPORTS 7:20 to 8:00 a.m.**
  - a. Work plan item 1.1 Update on development of a building energy efficiency white paper, update on status of city database and draft white paper. The Midwest Energy Efficiency Alliance will be represented to provide assistance – Messrs. Smith, Kismohr and Lanyon
  - b. Work plan item 2.1 Investigate the potential for water conservation and wastewater reuse in City owned buildings update – Status of draft report on water conservation at five city facilities – Messrs. Freeman and Lanyon
  - c. Work plan item 2.3 Develop long term needs for municipal sewer and water infrastructure – Item is inactive until consideration of 2015 budget
  - d. Status of the next community aggregation contract incorporating local renewable energy and/or energy efficiency benefits – Mr. Stoneback
  - e. Dusk-to-Dawn Street Lighting – Item pending warmer weather to conduct power consumption measurement in select lighting circuits and check the accuracy of lamp listing supplied to ComEd – Mr. Stoneback is seeking a portable power meter that can be borrowed
- 4. STAFF REPORTS 8:00 to 8:40 a.m.**
  - a. Recent electric system outages, basement flooding concerns, water service interruptions and status of 2014 improvement projects – Mr. Stoneback
  - b. Status of negotiations with potential new wholesale water customers – Mr. Stoneback
  - c. Community-wide Water Conservation Initiative – Ideas on development of a city water use efficiency policy for city buildings – Ms. Hurley
- 5. UNFINISHED BUSINESS 8:40 to 8:45 a.m.**
  - a. Inactive task: Work plan item 1.2 Develop a plan to reduce energy consumption at the water treatment plant – Item complete pending pump replacement schedule.

- b. Inactive task: Work plan item 1.3 Develop a baseline for energy consumption in municipal buildings update – Status of energy consumption database update and update of the Aukeman report.
- c. Inactive task: Work plan item 2.2 Reduce the amount of stormwater entering the combined sewers in sandy subsoil areas of the City – Item complete pending the annual report of the Director of Public Works on the Complete and Green Network Approach for Construction Projects in the Public Right of Way.
- d. Inactive task: Work plan item 2.4 Evaluate the potential impact of pending USEPA sewer/water regulations on the sewer system and water treatment plant.

**6. NEW BUSINESS 8:45 to 8:50 a.m.**

**7. ANNOUNCEMENTS/COMMUNICATIONS 8:50 to 9:00 a.m.**

- a. Forthcoming Utilities Department activities – Mr. Stoneback

**8. ADJOURNMENT 9:00 a.m.**

Next Meeting: FRIDAY, JUNE 13, 2014, 7:15 A.M.